


MAGNETON

STARTER MOTOR

9174 642

IMPORTANT DIMENSIONS TO FIT ON ENGINE



TECHNICAL DATA

Nominal voltage
Rated output
Rated speed
Static torque

24V
3,3kW₁
1 500min⁻¹
58Nm

Pinion teeth number
Module
Pressure angle
Weight

11
3
20°
14kg

APPLICATIONS

1. ZTS TEES
2. ZETOR UŘ II model 10 245

CROSS REFERENCES


1. ZETOR 83 359 918

Použití spouštěče 9174 642

Applications of starter motor 9174 642

Strana 2 / 3
Page

BRAND	MODEL	TYPE	ENGINE kW	PS	ccm	PRODUCTION YEAR
ZTS TEES	Z 1021	Z 8002.134				
	Z 1021 / 45	Z 8002.134				
	Z 10311	Z 8004.003				
	Z 10345	Z 8004.003				
	Z 8211	Z 8001.1234				
	Z 8245	Z 8001.1234				
	Z 8311	Z 8403.000				
	Z 8345	Z 8403.000				
	Z 9211	Z 8001.1234				
	Z 9245	Z 8001.1234				
ZETOR	10 245	UR II				



Náhradní díly spouštěče 9174 642

Spare parts of starter motor 9174 642

Strana 3 / 3
Page

1.0 Víko břemenové sestavené		Cat. No. 0157831
Front bracket assy		
2.0 Volnoběžka		Cat. No. 8014251
Clutch		
3.0 Páka vysouvací		Cat. No. 8470520
Operation lever		
4.0 Rotor sestavený		Cat. No. 0156321
Armature assy		
5.0 Stator sestavený		Cat. No. 0158731
Stator assy		
6.0 Mezistěna		Cat. No. 8805710
Partition wall		
7.0 Komutátorové víko sest.		Cat. No. 0158550
Commutator cover assy		
8.0 Spínač sestavený		Cat. No. 0158531
Contactoressy		
9.0 Kryt		Cat. No. 5226930
Cover		