


MAGNETON

ALTERNATOR 9515 170

IMPORTANT DIMENSIONS TO FIT ON ENGINE



TECHNICAL DATA

Nominal voltage
Rated current at 1 800min⁻¹
Rated current at 6 000min⁻¹

14V
28A
65A

Maximum speed
Zero speed
Weight

13 000min⁻¹
1 200min⁻¹
4,4kg

APPLICATIONS

1. CASE
2. CASE International
3. CDC - CASE

CROSS REFERENCES

Bosch	0 120 488 205; 0 120 489 475 0 986 040 290
Delco Remy	DRB0290
Iskra	IA 0595; 11.201.935; AAK3330
Lucas	LRB00305
HC Parts	CA 1197 IR
Hella	8EL 737 217-001
CASE	A 186 125; A 187 873
Cummins	3 920 679; 3 911 248
John Deere	AT173624; RE509106

11 / 2012

Použití alternátoru 9515 170

Applications of alternator 9515 170

Page 2 / 3

BRAND	MODEL	TYPE	ENGINE kW	PS	ccm	PRODUCTION YEAR
CASE	1150					01/89 - 01/94
CASE	1150E					01/89 - 01/94
CASE	1155E					01/89 - 01/94
CASE	1550					01/89 - 01/94
CASE	1550C					01/89 - 01/94
CASE	450C					01/89 - 01/94
CASE	455					01/89 - 01/94
CASE	480CK					01/89 - 01/94
CASE	580CK					01/89 - 01/94
CASE	850D					01/89 - 01/94
CASE	855D					01/89 - 01/94
CASE	MAXXUM					01/89 - 01/94
CASE INT.	100 - SERIE	Cummins 6BT		5 900		05/97 -
CASE INT.	135 - SERIE	Cummins 6BT		5 900		05/97 -
CASE INT.	580 - SERIE	Cummins 4B		3 900		05/97 -
CDC - CASE	1150E					01/89 - 01/94
CDC - CASE	1155E					01/89 - 01/94
CDC - CASE	1550					01/89 - 01/94
CDC - CASE	360					01/89 - 01/94
CDC - CASE	450C					01/89 - 01/94
CDC - CASE	455					01/89 - 01/94
CDC - CASE	560					01/89 - 01/94
CDC - CASE	760					01/89 - 01/94
CDC - CASE	850D					01/89 - 01/94
CDC - CASE	855D					01/89 - 01/94
CDC - CASE	DH4B					01/89 - 01/94
CDC - CASE	TF300					01/89 - 01/94

Náhradní díly alternátoru 9515 170

Spare parts of alternator 9515 170

Page 3 / 3

1.0 Víko přední sestavené Front cover assy		Cat. No. 0137741
2.0 Rotor sestavený Rotor assy		Cat. No. 0138210
3.0 Víko zadní sestavené Rear cover assy		Cat. No. 0141471
4.0 Usměrňovací blok Rectifier		Cat. No. 0140901
5.0 Držák uhlíků s regulátorem Brush holder with regulator		Cat. No. 0143671
6.0 Stator sestavený Stator assy		Cat. No. 0135421
7.0 Řemenice Pulley		Cat. No. -
8.0 Ventilátor Fan		Cat. No. -

Poznámka Note

1. Víko přední sestavené je dodáváno včetně předního ložiska.
Front cover assembly is supplied with front bearing.
2. Rotor sestavený je dodáván včetně zadního ložiska.
Rotor assembly is supplied with rear bearing.
3. Víko zadní sestavené je dodáváno včetně usměrňovače.
Rear cover assembly is supplied with the rectifier.

