


MAGNETON

ALTERNATOR

9515 241

IMPORTANT DIMENSIONS TO FIT ON ENGINE



TECHNICAL DATA

Nominal voltage
Rated current at 1 800min⁻¹
Rated current at 6 000min⁻¹

14V
27A
55A

Maximum speed
Zero speed
Weight

13 000min⁻¹
1 100min⁻¹
5,1kg

APPLICATIONS

1. John Deere

CROSS REFERENCES

John Deere

RE506196; RE501634

Bauer Parts
WoodAuto


L610143
ALT41000

08 / 2012

Použití alternátoru 9515 241 Applications of alternator 9515 241

Page 2 / 3

BRAND	MODEL	TYPE	ENGINE kW	PS	ccm	PRODUCTION YEAR
John Deere	Skid Steer Loaders 270	JD 4045D		77		1999 - 2004
John Deere	Skid Steer Loaders 280	JD 4045T		90		2002 - 2004



Náhradní díly alternátoru 9515 241

Spare parts of alternator 9515 241

Page 3 / 3

1.0 Víko přední sestavené Front cover assy		Cat. No. 0136710
2.0 Rotor sestavený Rotor assy		Cat. No. 0138211
3.0 Víko zadní sestavené Rear cover assy		Cat. No. 0138231
4.0 Usměrňovací blok Rectifier		Cat. No. 0140831
5.0 Držák uhlíků s regulátorem Brush holder with regulator		Cat. No. 0143410
6.0 Stator sestavený Stator assy		Cat. No. 0136071
7.0 Řemenice Pulley		Cat. No. 6020927
8.0 Ventilátor Fan		Cat. No. 0136667

Poznámka Note

1. *Víko přední sestavené je dodáváno včetně předního ložiska.*
Front cover assembly is supplied with front bearing.
2. *Rotor sestavený je dodáván včetně zadního ložiska.*
Rotor assembly is supplied with rear bearing.
3. *Víko zadní sestavené je dodáváno včetně usměrňovače.*
Rear cover assembly is supplied with the rectifier.

